

**AMENDMENTS TO THE CLAIMS**

Please cancel claim 16.

Please replace claims 6, 13 and 18 with the following:

- 
1. (Original) A label comprising:  
a transparent element to pass ambient light and backlight;  
a transfective element juxtaposed to the transparent element to pass the  
backlight, but reflect the ambient light.
2. (Original) A system as recited in claim 1, wherein the transparent  
element includes label data.
3. (Original) A system as recited in claim 1, wherein the transfective  
element comprises a metallic transfective film.
4. (Original) A system as recited in claim 1, further comprising an  
electroluminescent light to produce the backlight.
5. (Original) An electronic device comprising the label as recited in claim 1.
6. (Currently amended) A label comprising:  
a light transmissive element;  
a light generating element to provide backlight for the light transmissive  
element; and  
a transfective element juxtaposed ~~interposed~~ between the light  
generating element and the light-transmissive element to pass  
backlight generated by the light generating element out through  
the light transmissive element, but reflect ambient light passed in  
through the light transmissive element back out through the light  
transmissive element.

Serial No.: 09/765,841  
Filed: January 18, 2001

7. (Original) A system as recited in claim 6, wherein the light transmissive element comprises data printed thereon.
8. (Original) A system as recited in claim 6, wherein the light generating element comprises an electroluminescent light.
9. (Original) A system as recited in claim 6, wherein the transfective element comprises a metallic transfective film.
10. (Original) A system as recited in claim 6, wherein the label exhibits visually different appearances depending upon whether the light transmissive element is illuminated by the backlight or the ambient light.
11. (Original) A system as recited in claim 6, wherein the label exhibits a first color when the light transmissive element is illuminated by the backlight and a second color when the light transmissive element is illuminated by the ambient light.
12. (Original) An electronic device comprising the label as recited in claim 6.
13. (Currently amended) An assembly comprising:
  - a backlight source to generate a backlight; and
  - a label that reflects ambient light and emanates the backlight when the backlight is generated,wherein the label comprises:
  - a transparent element; and
  - a transfective element juxtaposed to the transparent element to pass the backlight, but reflect the ambient light.
14. (Original) An assembly as recited in claim 13, wherein the backlight source comprises an electroluminescent light.

Serial No.: 09/765,841  
Filed: January 18, 2001

15. (Original) An assembly as recited in claim 13, wherein the backlight source is separate from the label.

16. (Cancelled.)

17. (Original) An electronic device comprising the assembly as recited in claim 13.

18. (Currently amended) A method comprising:  
passing backlight emanating from behind a label out through the label;  
and  
reflecting ambient light received from in front of the label back through  
the label,  
wherein the label comprises:  
a transparent element; and  
a transfective element juxtaposed to the transparent  
element to pass the backlight, but reflect the ambient light.